

# FORTEVER®

Focus on personalization and small-scale industrialization

## 浙江合和机电有限公司

地址: 浙江省诸暨市枫桥镇新泽湖岸树下1150号

电话: 0575-87181065

传真: 0575-87181066

邮箱: fortever@forteever.com.cn

www.forteever.com

www.forteever.com.cn

ZHEJIANG HEHE ELECTRIC MACHINERY CO., LTD.

Add: No.1150,zeshuxia,xinzehu,fengqiao,zhuji city,zhejiang,china

Tel: 0086-575-87181065

Fax: 0086-575-87181066

E-mail: fortever@forteever.com.cn

www.forteever.com

www.forteever.com.cn

Find us on

facebook

YouTube

产品参数如有变更, 恕不另行通知。

Product parameters are subject to change without prior notice.



**FORTEVER®**

我们更专注个性化和小型工业化

We are focused on personalization and small-scale industrialization

## 产品目录

### CONTENTS

- 01/ 单头机系列  
Single Head Machine Series
- 11/ 轻轨系列  
C Type Machine Series
- 17/ 多头高速帽绣机系列  
High Speed Multi Head Tubular Machine Series
- 21/ 特种机系列  
Special Function Machine Series
- 27/ 多头高速平绣机  
High Speed Multi Head Flat Machine Series
- 31/ 可选装置  
Additional Special Device



**SPECIFICATION:**

- \* Emb area:240\*320mm
- \* Suitable for cap and finished garments embroidery
- \* Max working speed 1000RPM
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing, auto thread trimming and self-lubrication system
- \* Memory stitches:100,000,000,single pattern stitches at most 4,000,000
- \* Special sfructure supports bigger base space,Which make sure embroider on different kinds of finished products, e.g T-shirt, bag, pillow covers
- \* Adjustable take up lever spring force adapted to various thread and fabric with nice stitches
- \* 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Hindi, Russian, French, Italian, Arabic, Dutch, German, Vietnamese, Polish, Thai, Korean, Romanian
- \* Carton packing
- \* The best choice for home use and mini studio



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
HALO-100	240×320mm	12	1	Machine box:39/41kgs.	74.5×55.5×70.5cm
				Stand Box:35/38kgs.	79×22×79cm
				Cap device box:7.5/8kgs.	50×32×27cm

**Halo-100**

◎ 配置绣框

Hoops included

- 1个32×24cm的绣框
- 1个12cm的绣框
- 1个15cm的绣框
- 1个20cm的绣框
- 1 x rectangular hoop 32 x 24cm
- 1 x round hoop 12cm
- 1 x round hoop 15cm
- 1 x round hoop 20cm



1 x rectangular hoop 32 x 24cm



1 x round hoop 12cm



1 x round hoop 15cm



1 x round hoop 20cm

◎ 帽绣附件

Cap device included

- 帽座一套
- 帽圈两个
- 270度帽驱动一套
- 1 x cap station
- 2 x cap ring
- 1 x cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器
- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



脚轮 wheels



绕线器 bobbin winder

◎ 可选装置

Additional device



袜框 socks device



鞋绣 shoes device



口袋框 pocket frame



磁力绣框 magnet frame



## FT-1201(300×350)

### SPECIFICATION:

- \* Emb area:300x350mm,7inch Touch panel
- \* Suitable for cap and finished garments embroidery
- \* Max speed 1200RPM
- \* Auto color changing,auto thread trimming
- \* 80V-260V adapted to all electricity environment,DC36 safe voltage output
- \* Full screen pre-view design function supported
- \* Devices could be matched(cording,sequins,beads)
- \* 12 languages:Chinese,English,Turkish,Spanish,Portuguese, Russian,French,Arabic,Dutch,German,Vietnamese,Thai
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(300×350)	300×350mm	12 ( 15 adopted )	1	85kgs./175kgs.	88×74×99cm

## FT-1201(350×500)

### SPECIFICATION:

- \* Suitable for cap,flat and finished garments embroidery
- \* 10inch touch panel,with photo embroidery function
- \* Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 1,000,000
- \* Max working speed 1200RPM
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing,auto thread trimming
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew
- \* Device could be matched(cording,sequins,beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(350×500)	350×500mm	12 ( 15 adopted )	1	95kgs./195kgs.	113×83×89cm

## FT-1201(400×600)

### SPECIFICATION:

- \* Suitable for cap, flat and finished garments embroidery
- \* 10inch touch panel, with photo embroidery function
- \* Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 1,000,000
- \* Max working speed 1200RPM
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing, auto thread trimming
- \* 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- \* Device could be matched(cording, sequins, beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(400×600)	400×600mm	12 (15 adopted)	1	117kgs./207kgs.	120×113×89cm

## FT-1201(500×800)

### SPECIFICATION:

- \* Suitable for cap, flat and finished garments embroidery
- \* 10inch touch panel, with photo embroidery function
- \* Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 1,000,000
- \* Max working speed 1200RPM
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing, auto thread trimming
- \* 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- \* Device could be matched(cording, sequins, beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(500×800)	500×800mm	12 (15 adopted)	1	125kgs./265kgs.	120×113×89cm





## FT-1201(500×1200)

### SPECIFICATION:

- \* Suitable for cap, flat and finished garments embroidery
- \* 10inch touch panel, with photo embroidery function
- \* Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 1,000,000
- \* Max working speed 1200RPM
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing, auto thread trimming
- \* 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- \* Device could be matched (cording, sequins, beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(500×1200)	500×1200mm	12 (15 adopted)	1	140kgs./280kgs.	146×113×89cm



## FT-1201(600×1200)

### SPECIFICATION:

- \* Suitable for flat embroidery
- \* 10inch touch panel, with photo embroidery function
- \* Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 1,000,000
- \* Max working speed 1200RPM
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing, auto thread trimming
- \* 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- \* Device could be matched (cording, sequins, beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(600×1200)	600×1200mm	12 (15 adopted)	1	160kgs./310kgs.	146×113×89cm



## FT-1201(700×1200)

### SPECIFICATION:

- \* Suitable for flat embroidery
- \* 10inch touch panel, with photo embroidery function
- \* Memory stitches: 20,000,000 or 200pcs pattern, single pattern stitches at most 1,000,000
- \* Max working speed 1000RPM
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing, auto thread trimming
- \* 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- \* Device could be matched (cording, sequins, beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(700×1200)	700×1200mm	12 (15 adopted)	1	320kgs./420kgs.	220×113×89cm
FT-1201(700×1700)	700×1700mm	12 (15 adopted)	1	350kgs./485kgs.	245×113×89cm

## FT-1201

(300×350) / (350×500) / (400×600) / (500×800) / (500×1200)

### 配置绣框

#### Hoops included

1个铝框, FT-1201(300×350)除外  
1个椭圆绣框58×36cm  
2个30×30cm的绣框  
2个19cm的绣框  
2个15cm的绣框  
2个12cm的绣框  
2个9cm的绣框

1 x aluminum frame, except FT-1201(300 x 350)  
1 x oval hoops 58 x 36cm  
2 x square hoops 30 x 30cm  
2 x round hoops 19cm  
2 x round hoops 15cm  
2 x round hoops 12cm  
2 x round hoops 9cm



Aluminum frame  
except FT-1201(300 x 350)



30 x 35cm only  
for FT-1201(300 x 350)



58 x 36cm



30 x 30cm



19cm



15cm



12cm



9cm

### 帽绣附件

#### Cap device included

帽座一套  
帽圈两个  
270度帽驱动一套  
1 x cap station  
2 x cap rings  
1 x cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

### 其他附件

#### Accessories included

工具箱  
操作手册  
台板和带有轮子的支架  
绕线器

Tool kit  
Operation Manual  
Table and stand with wheels  
Bobbin winder



工具箱 tool kit



绕线器 bobbin winder



## FT-1201HC(400×500)

### SPECIFICATION:

- \* Suitable for flat ,cap and finished garments embroidery
- \* Max working speed 1200RPM
- \* Memory stitches: 20,000,000 or 200pcs patterns, single pattern stitches at most 1,000,000
- \* 10inch touch panel,with photo embroidery function
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing, auto thread trimming
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew
- \* Device could be matched(cording,sequins,beads)
- \* Plywood packing



## FT-1202HC(400×500)

### SPECIFICATION:

- \* Suitable for flat ,cap and finished garments embroidery
- \* Max working speed 1200RPM
- \* Memory stitches: 20,000,000 or 200pcs patterns, single pattern stitches at most 1,000,000
- \* 10inch touch panel,with photo embroidery function
- \* 80V-260V adapted to all electricity environment
- \* Auto color changing, auto thread trimming
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew
- \* Device could be matched(cording,sequins,beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201HC	400×500mm	12 ( 15 adopted )	1	215kgs./ 330kgs.	95×113×110cm

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202HC	400×500mm	12 ( 15 adopted )	2	350kgs./ 470kgs.	146×113×110cm



## FT-1203HC(400×500)

### SPECIFICATION:

- \* Suitable for flat ,cap and finished garments embroidery
- \* Max working speed 1200RPM
- \* Memory stitches: 20,000,000 or 200pcs patterns, single pattern stitches at most 1,000,000
- \* 10inch touch panel ,with photo embroidery function
- \* Auto color changing ,auto thread trimming
- \* 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- \* Device could be matched(cording, sequins, beads)
- \* Plywood packing



## FT-1204HC(400×430)

### SPECIFICATION:

- \* Suitable for flat ,cap and finished garments embroidery
- \* Max working speed 1200RPM
- \* Memory stitches: 20,000,000 or 200pcs patterns, single pattern stitches at most 1,000,000
- \* 10inch touch panel ,with photo embroidery function
- \* Auto color changing ,auto thread trimming
- \* 16 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew
- \* Device could be matched(cording, sequins, beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1203HC	400×500mm	12 ( 15 adopted )	3	540kgs./ 760kgs.	195×113×130cm

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1204HC	400×430mm	12 ( 15 adopted )	4	800kgs./880kgs.	220×113×130cm



**FT-905HC(200×500)**



**SPECIFICATION:**

- \* Suitable for flat embroidery
- \* Max working speed 1200RPM
- \* Memory stitches:20,000,000 or 200pcs patterns, single pattern stitches at most 1,000,000
- \* 10inch touch panel,with photo embroidery function
- \* Auto color changing,auto thread trimming
- \* 16 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew
- \* Device could be matched(cording,sequins,beads)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-905HC	200×500mm	9	5	540kgs./770kgs.	195×113×130cm

**FT-1201HC/1202HC/1203HC/1204HC**

◎ 配置绣框

Hoops included

- 1个铝框
- 1个椭圆绣框31×39cm / 40×40cm
- 2个30×30cm的绣框
- 2个19cm的绣框
- 2个15cm的绣框
- 2个12cm的绣框
- 2个9cm的绣框

- 1 x aluminum frame (size changed according to different machine)
- 1 x square hoop 31 x 39cm / 40 x 40cm per head
- 2 x square hoops 30 x 30cm per head
- 2 x round hoops 19cm per head
- 2 x round hoops 15cm per head
- 2 x round hoops 12cm per head
- 2 x round hoops 9cm per head



Aluminum frame



40x40cm per head for FT-1201HC/1202HC  
31x39cm per head for FT-1203HC/1204HC



30x30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

- 帽座一套/台
- 帽圈两个/头
- 270度帽驱动一套/头
- 1 x cap station / set
- 2 x cap rings / head
- 1 x cap driver / head



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器

- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具箱 tool kit



绕线器 bobbin winder



### FT-1204H(400×450)



**SPECIFICATION:**

- \* Suitable for cap, flat and finished garments embroidery
- \* Max working speed 1200RPM
- \* Memory stitches:100,000,000, single pattern stitches at most 600,000
- \* Auto color changing, auto thread trimming
- \* 8 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic
- \* Support presser foot movement control function
- \* Devices could be matched(cording, sequins, beads)
- \* Vacuum packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1204H	400×450mm	12 ( 15 adopted )	4	850kgs./1050kgs.	280×90×150cm

### FT-1206H(400×450)



### FT-1208H(400×450)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1206H	400×450mm	12 ( 15 adopted )	6	1050kgs./1300kgs.	350×90×150cm
FT-1208H	400×450mm	12 ( 15 adopted )	8	1450kgs./1600kgs.	430×90×150cm



## FT-1212H(400×450)



### SPECIFICATION:

- \* Suitable for cap, flat and finished garments embroidery
- \* Max working speed 1200RPM
- \* Memory stitches: 100,000,000, single pattern stitches at most 600,000
- \* Auto color changing, auto thread trimming
- \* 8 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic
- \* Support presser foot movement control function
- \* Devices could be matched (cording, sequins, beads)
- \* Vacuum packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1212H	400×450mm	12 (15 adopted)	12	2400kgs./2500kgs.	655×90×150cm

## FT-1204H/1206H/1208H/1212H

### 配置绣框

#### Hoops included

- |               |  |
|---------------|--|
| 1个铝框          | 1 x aluminum frame (size changed according to different machine) |
| 1个椭圆绣框31×39cm | 1 x square hoops 31x39cm per head                                |
| 2个30×30cm的绣框  | 2 x square hoops 30×30cm per head                                |
| 2个19cm的绣框     | 2 x round hoops 19cm per head                                    |
| 2个15cm的绣框     | 2 x round hoops 15cm per head                                    |
| 2个12cm的绣框     | 2 x round hoops 12cm per head                                    |
| 2个9cm的绣框      | 2 x round hoops 9cm per head                                     |



Aluminum frame



31x39cm



30x30cm



19cm



15cm



12cm



9cm

### 帽绣附件

#### Cap device included

- 帽座一套/台
- 帽圈两个/头
- 270度帽驱动一套/头
- 1 x cap station / set
- 2 x cap rings / head
- 1 x cap driver / head



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

### 其他附件

#### Accessories included

- |            |                             |
|------------|-----------------------------|
| 工具箱        | Tool kit                    |
| 操作手册       | Operation Manual            |
| 台板和带有轮子的支架 | Table and stand with wheels |
| 绕线器        | Bobbin winder               |



工具箱 tool kit



绕线器 bobbin winder





## FT-901 + 1PD(560×1200)

### SPECIFICATION:

- \* Suitable for flat embroidery,coiling and taping embroidery
- \* Memory stitches:100,000,000,single pattern stitches at most 1,000,000
- \* Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- \* Maximum speed 1000RPM
- \* Auto color changing,auto thread trimming
- \* LCD display showing real time stitching
- \* Full screen pre-view design trace
- \* Thread break detection and prevention
- \* Automatic external thread winding device
- \* 13 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Thai,Italian,Polish
- \* Devices could be matched(sequins,beads,rhinestones)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-901+1PD	560×1200mm	9 (12 adopted)	1+1	650kgs./800kgs.	195×113×130cm



## FT-901 + 1CT(560×1200)

### SPECIFICATION:

- \* Suitable for flat embroidery,chenille and chain stitch embroidery
- \* Memory stitches:100,000,000,single pattern stitches at most 600,000
- \* Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- \* Maximum speed 1000RPM
- \* Auto color changing,auto thread trimming
- \* LCD display showing real time stitching
- \* Full screen pre-view design trace
- \* Thread break detection and prevention
- \* Automatic external thread winding device
- \* 8 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic
- \* Devices could be matched(cording,sequins,beads,rhinestone)
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-901+1CT	560×1200mm	12 (9 adopted)	1+1	650kgs./800kgs.	195×113×130cm





## FT-901 + 1LPD(800×1700)

### SPECIFICATION:

- \* Suitable for flat embroidery,coiling and taping embroidery
- \* Memory stitches:100,000,000,single pattern stitches at most 1,000,000
- \* Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- \* Maximum speed 1000RPM
- \* Auto color changing,auto thread trimming
- \* LCD display showing real time stitching
- \* Full screen pre-view design trace
- \* Thread break detection and prevention
- \* Automatic external thread winding device
- \* 13 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Thai,Italian,Polish
- \* Devices could be matched(sequins,beads,rhinestones)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-901+1LPD	800×1700mm	9	1+1	900kgs./1000kgs.	230×190×150cm



## FT-902 + 2PD(600×850)

### SPECIFICATION:

- \* Suitable for flat embroidery,coiling and taping embroidery
- \* Memory stitches:100,000,000,single pattern stitches at most 1,000,000
- \* Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- \* Maximum speed 1000RPM
- \* Auto color changing,auto thread trimming
- \* LCD display showing real time stitching
- \* Full screen pre-view design trace
- \* Thread break detection and prevention
- \* Automatic external thread winding device
- \* 13 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Thai,Italian,Polish
- \* Devices could be matched(sequins,beads,rhinestones)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-902+2PD	600×850mm	9	2+2	900kgs./1000kgs.	230×190×150cm



### FT-1202MC(500×500×850)

2 heads flat with multi color cording



**SPECIFICATION:**

- \* Suitable for the carpet making ,traditional dresses decoration embroidery
- \* Convenient power failure recovery embroidery function, prevent embroidery half-way off cause misalignment
- \* Maximum speed 1000RPM(flat and cording)
- \* Auto color changing,auto thread trimming
- \* LCD display showing real time stitching
- \* Full screen pre-view design trace
- \* Thread break detection and prevention
- \* Automatic external thread winding device
- \* 13 languages:Chinese,English,Turkish,Spanish, Portuguese, Russian, French,Arabic,Dutch,German, Thai,Italian,Polish



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202MC	500×850mm	12	2	500kgs./700kgs.	230×165×160cm

### FT-610+10PD(600×600×850)

Flat+Coiling&Taping



**SPECIFICATION:**

- \* Suitable for flat embroidery,coiling and taping embroidery
- \* Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- \* Maximum speed 1000RPM
- \* Auto color changing,auto thread trimming
- \* LCD display showing real time stitching
- \* Full screen pre-view design trace
- \* Thread break detection and prevention
- \* Automatic external thread winding device
- \* 8 languages:Chinese,English,Turkish,Spanish,Portuguese, Russian, French,Arabic
- \* Devices could be matched(sequins,beads,rhinestones)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-610+10PD	600×600×850mm	6	10+10	3500kgs./3700kgs.	840×225×165cm



## FT-1202F (500×850)

12 Needles 2 Heads Flat Embroidery Machine



### SPECIFICATION:

- \* Compact structure, machine display size 2.3m(L)\*2.2m(W)
- \* High efficiency, max speed 1200RPM
- \* Convenient power failure recovery function
- \* Big LCD display showing real time stitching
- \* Full screen pre-view design trace capable
- \* Auto color changing, auto thread trimming
- \* Thread break detection and prevention
- \* Device could be choosed: sequins, cording, beads, rhinestone
- \* 13 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Thai, Italian, Polish

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202F	500×850mm	12	2	500kgs./615kgs.	230×165×160cm

## FT-910F (200×200×400)

9 Needles 10 Heads Flat Embroidery Machine



### SPECIFICATION:

- \* The best machine for Logo making
- \* Compact structure, machine display size 2.9m(L)\*1.35m(W)
- \* With overlap function, 10 heads running, working area 200mm\*400mm, 5 heads running, working area 400mm\*400mm
- \* High efficiency, max speed 1200RPM
- \* More comfortable view, 15inch big touch screen monitor
- \* Convenient power failure recovery function
- \* Full screen pre-view design trace capable
- \* Auto color changing, auto thread trimming
- \* Thread break detection and prevention
- \* 13 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Thai, Italian, Polish
- \* Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-910F	200×400mm (400×400mm, overlap)	9	10 (5, overlap)	835kgs./1035kgs.	290×115×130cm



### FT-904F (500×500×800)

9 Needles 4 Heads Flat Embroidery Machine



### FT-906F (500×500×800)

9 Needles 6 Heads Flat Embroidery Machine



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-904F	500×800mm	9	4	1250kgs./1400kgs.	330×230×160cm
FT-906F	500×800mm	9	6	1629kgs./1746kgs.	430×230×160cm

### FT-912F (400×400×800)

9 Needles 12 Heads Flat Embroidery Machine



#### SPECIFICATION:

- \* Needles, heads, Embroidery Area could be done according to exact needs.
- \* Finished garments frame could be match (additional)
- \* Free changing from finished garments and big flat embroidery working
- \* Convenient power failure recovery function
- \* Big LCD display showing real time stitching
- \* Full screen pre-view design trace capable
- \* Auto color changing, auto thread trimming
- \* Thread break detection and prevention
- \* Device could be choosed: sequins, cording, beads, rhinestone

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-912F	400×800mm	9	12	2490kgs./2584kgs.	610×230×160cm



More device, more choice

◎ 八合一磁铁绣框 8 in 1 magnetic frame



◎ 口袋框 Pocket frame



◎ 鞋夹 Robot frame



Easy robot frame



Pneumatic robot frame

◎ 单金片 Single sequin device



◎ 双金片 Double sequins device




◎ 三金片 Triple sequins device



◎ 简易绳绣 Easy cording device



◎ 晶石绣 Rhinestone device



◎ 袜绣 Sock device



◎ 珠子绣 Beads device



Loose beads



Rolling beads



◎ 红光定位装置 Red laser positioning device



◎ 简易激光装置 Easy laser cutting device



◎ 激光切割 Laser cutting device

